What is claimed is:

2

- 1. A washing machine comprising:
- a housing;
- a tub in the housing;
- a drum rotatably installed in the tub to hold a laundry; and
- a protecting member provided at the tub to prevent water from accessing an electric apparatus installed at the tub.
- 2. The washing machine as claimed in claim 1, wherein the protecting member is formed to cut off the water accessing the electric apparatus.
- 3. The washing machine as claimed in claim 1, wherein the protecting member guides the water to detour the electric apparatus.
- 4. The washing machine as claimed in claim 1, wherein the protecting member encloses the electric apparatus in part at least.
- 5. The washing machine as claimed in claim 1, wherein the protecting member is at least one rib provided in a vicinity of the electric apparatus.
- 6. The washing machine as claimed in claim 1, wherein thee water flows along an outer circumference of the tub or falls from an inside of the housing.

- 7. The washing machine as claimed in claim 1, wherein the protecting member is built in one body of the tub or is attached to the tub.
- 8. The washing machine as claimed in claim 1, wherein the protecting member comprises a first rib preventing the water from accessing a motor installed at the tub.
- 9. The washing machine as claimed in claim 1, wherein the motor is installed at a rear side of the tub.
- 10. The washing machine as claimed in claim 8, wherein the first rib is provided in a vicinity of the motor.
- 11. The washing machine as claimed in claim 8, wherein the first rib is disposed over the motor.
- 12. The washing machine as claimed in claim 8, wherein the first rib has a predetermined curvature.
- 13. The washing machine as claimed in claim 8, wherein the first rib leaves a predetermined gap from the motor.
- 14. The washing machine as claimed in claim 1, wherein the protecting member comprises a second rib preventing the water from accessing a heater installed in the tub.

- 15. The washing machine as claimed in claim 1, wherein the heater is inserted in the tub.
- 16. The washing machine as claimed in claim 14, wherein the second tub is provided in a vicinity of a terminal for supplying power to the heater.
- 17. The washing machine as claimed in claim 14, wherein the second rib is provided in a vicinity of right and left sides of the terminal.
- 18. The washing machine as claimed in claim 14, wherein the second rib downwardly extends from an outer circumference of the tub.